



ARMOR®
Lubricants زيوت آرمور

**THE ARMOR
THAT PROTECTS !**



f Armor Lubricants.ae p Armor Lubricants
i armorlubricant t @ArmorLubricant
v Armor Lubricants e sales@armorlubricants.com
in Armor Lubricants UAE

www.armorlubricants.com



API SP

XTREME++

FULLY SYNTHETIC

BENEFITS

- Provides excellent protection against engine wear.
- Low Speed Pre-ignition (LSPI) protection.
- Mitigation of timing chain & valve train wear.
- Minimizes formation of sludge and varnish deposits that reduce engine life.
- Meets latest oxidation performance needs, including IIH.
- Strong fuel economy performance.
- Helps prevent potentially catastrophic engine damage due to LSPI events.
- Exceptional control of iron concentration and valve train wear control performance at low viscosity.

SAE GRADES

API

SP

PACKING SIZE

0W-16 / 0W-20 / 0W-30 / 0W-40 / 5W-20 / 5W-30 / 5W-40 / 10W-30

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] [Customize Packing](#)



XTREME++

FULLY SYNTHETIC

DESCRIPTION

Armor Fully Synthetic Motor Oil, a fuel economy and environment friendly universal motor oil, developed according to the most recent technology, based on specially selected synthetic base oils to which advanced additives are added to obtain the below performances levels.

SAE GRADES

API

SN | SM | SL

0W-20 / 0W-30 / 0W-40 / 5W-20 / 5W-30 / 5W-40 / 10W-30 / 10W-40

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



XTREME+

SYNTHETIC TECH.

DESCRIPTION

Armor Xtreme+ Petrol Engine oil is a high performance lubricant using synthetic technology, specially developed for Gasoline and Diesel car engines, meets the requirements of the latest engines.

SAE GRADES

API

SN | SM | SL

10W-30 / 10W-40 / 15W-40 / 20W-50

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



XTREME

MINERAL

DESCRIPTION

Armor Premium high quality petrol engine oil is produced with high quality solvent refined base oils and most advanced additives to obtain the superior performance, better fuel efficiency and prolonged drain interval..

SAE GRADES

API

SN | SM | SL

10W-30 / 10W-40 / 15W-40 / 20W-40 / 20W-50 / 25W-50 / 25W-60

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing





TRANS++ FULLY SYNTHETIC

DESCRIPTION

TRANS++ a top quality fuel economy Fully Synthetic diesel engine oil based on the latest additive technology combined with very special synthetic base oils to meet or exceed the requirement of latest API.

SAE GRADES | **API** CK-4 | CJ-4 | CI-4

5W30 / 10W-40 / 15W-40 / 15W-50

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



TRANS+ SEMI SYNTHETIC

DESCRIPTION

Armor Trans+ Synthetic Diesel Engine Oil is a high-quality lorry engine oil which is formulated with Low SAPS technology. It can be used in both older and newer engines. A top quality fuel economy diesel engine oil based on the latest additive technology combined with very special base oils.

SAE GRADES | **API** CJ-4 | CI-4 | CH-4

10W-40 / 15W-40 / 15W-50 / 20W50

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



TRANS MINERAL

DESCRIPTION

Armor Trans Diesel engine Oil is a modern, universal applicable engine oil is produced with high quality solvent refined base oils and a well- balanced choice of additives.


SAE GRADES | **API** CJ-4 | CI-4 | CH-4 | CF-4 | CG-4 | CF

30 / 40 / 50 / 10W-40 / 15W-40 / 20W-50

PACKING SIZE

1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing





SWIFT-4T 4 STROKE

DESCRIPTION

Armor SWIFT 4 Stroke Engine Oil was specifically developed for use in the latest air-cooled four-stroke engines and watercooled outboard engines. It is formulated with a less ash additive and a special solvent that permits ready mixing with gasoline over a wide temperature range.

SAE GRADES API SN | SM | SL | SJ / JASO MA- 20W50, MB- 10W40

10W-30 / 10W-40 / 20W-40 / 20W-50

PACKING SIZE

800 ML , 1 L , 4 L , 5 L , 6 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



SWIFT-2T 2 STROKE

DESCRIPTION

Armor SWIFT 2 Stroke Engine Oil is a Low-ash Performance air-cooled two-stroke Motor oil for reliable engine protection and premium additive technology to provide a high level of protection & performance operating under all service conditions.

SAE GRADES API TB | TC (JASO FB | FD)

30 / 10W-30 / 10W-40 / 15W-40 / 20W-50

PACKING SIZE

800 ML , 1 L , 4 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



SWIFT-2T OUTBOARD TC-W3

DESCRIPTION

Armor SWIFT 2 Stroke Engine Oil was specifically developed for use in the latest air-cooled 2-stroke engines, 2 cycles, and watercooled outboard engines. It is formulated with a less ash additive and a special solvent that permits ready mixing with gasoline over a wide temperature range.

SAE GRADES API TC-W3 | TC-W2 (JASO FB | FD)

30 / 10W-30

PACKING SIZE

1 L , 4 L , 5 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing





DRIVE LINE (GEAR OIL)

ULTRA

DESCRIPTION

Armor ULTRA Gear Lubes are blended with high quality base oil, as well as anti-wear and anti-foam additive which has strong oxidation and foaming resistance use in heavy duty operations found in commercial fleets, manual transmission, axle and final drives.

SAE GRADES

API GL-5 | GL-4 | GL-1

90 / 140 / 75W-90 / 80W-90 / 85W-140 /

PACKING SIZE

1 L , 4 L , 5 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



ATF

(Automatic Transmission Fluid)

ULTRA

DESCRIPTION

Automatic Transmission Fluid, Designed with high quality Hydrotreated oils and special additive package to meet the demands of today's electronic transmissions requiring superior fluid flow under low temperature conditions.

PERFORMANCE

DEX VI / DEX III / DEX II / CVT / TYPE A / MERCON V

PACKING SIZE

1 L , 4 L , 5 L – [CAN] 20 L , 25 L – [PAIL] 200 L , 208 L – [DRUM] 1000 L – [IBC] Customize Packing



BRAKE FLUID & COOLANT

DOT 4 / 3

ICE COOL

DESCRIPTION COOLANT

Outstanding rust and corrosion protection to all cooling system materials and is fully compatible with flexible hoses and seals.

CONCENTRATE

33% / 40% / 50% / 100%

PACKING SIZE

1 L , 4 L , 5 L – [CAN] 20 L , 25 L – [PAIL]
200 L – [DRUM] 1000 L – [IBC] Customize Packing

DESCRIPTION BRAKE FLUID

High-quality synthetic brake and clutch fluid suitable for passenger cars, trucks and buses.

BRAKE FLUID

DOT 3 / 4

PACKING SIZE

250 ML / 500 ML , 1 L , 4 L , 5 L – [CAN]
20 L , 25 L – [PAIL] 200 L – [DRUM]
1000 L – [IBC] Customize Packing





HYDRAULIC

HD

DESCRIPTION

Armor HD AW Hydraulic Oil is a premium quality anti-oxidant, antiwear, anti-rust hydraulic oil for industrial hydraulic applications. It is blended with selected high-quality base stocks and special additives to give superior oxidation and thermal stability, and excellent load carrying capacity.

ISO - 10W / 32 / 46 / 68

DESCRIPTION - Industrial Gear Oil

ARMOR Industrial Gear Oils are Formulated with premium quality sulfur-phosphorus additive system. This product is a metal passivator and corrosion inhibitor. It's mainly designed to lubricate the Industrial Gear Services that have strong Shock Loadings providing maximum protection against rust, corrosion, and oxidation.



INDUSTRIAL

HD

DESCRIPTION

ARMOR Industrial Oils are made especially from high-technology additives to ensure extended equipment life and ultimate protection against rust and oxidation. This product is manufactured to boost the performance and sustain a safe operating environment.

MARINE OIL	Medium-Speed Trunk Piston				Low-Speed Crosshead			
	3020	4020	4040		5070	3005	4005	
TURBINE OIL	22	32	46	68	100			
AIR COMPRESSOR OIL	22	32	46	68	100			
SOLUBLE CUTTING OIL								
TRANSFORMER OIL	IIA	II						
HEAT TRANSFER & QUENCHING OIL	22	32	46	68	100			
SYSTEM CIRCULATING OIL	22	32	46	68	100	150	220	460
REFRIGERATION OIL	22	32	46	68	100			
GREASE	00	0	1	2	3			



GREASES

LITHIUM & CALCIUM

eXtreme pressure

Excellent performance,
Xtreme-pressure grease
Trusted protection for heavy-duty
industrial applications

**EP 00 | EP 0 | EP 1 | EP 2
EP 3**

Multi propose

High performance,
multi-purposed grease
Reliable protection for
industrial applications

**MP 00 | MP 0 | MP 1 | MP 2
MP 3**

Special Greases

**HIGH TEMPERATURE 3
MOLY GREASE 1 / 2
TRANSPARENT GREASE**



PACKING SIZE

250 GM , 500GM , 1 KG , 5 KG , 15 KG [BUCKETS] 180 KG [DRUM] Customize Packing

TDS / MSDS Please visit our website or send request to qc@armorlubricants.com



OUR CAR CARE Specialties

Armor professional car care products and additives are highly effective for enhancing your vehicle performance and protecting the Fuel system, Engine, Exhaust system, and AC systems. Including Service & Maintenance Aerosols as well as Cleaning & Care Products. These products are made with high end German technology to ensure maximum protection and performance.

AC System

- AC system Freshener & Disinfectant
- AC Disinfectant Spray
- AC System Foam Cleaner

Air Intake System

- Petrol Air Intake Cleaner Spray
- Diesel Air Intake Cleaner Spray
- Nano Air Intake System Cleaner
- Throttle Body Cleaner

Brake System

- Brake Cleaner acetone free
- Brake Guard

Cleaning & Care

- Wheel Rim Cleaner
- Tyre Shine & Protect
- Express Wax
- Interior Plastic, Rubber, & Leather Refresher
- Exterior Plastic & Rubber Refresher

Engine

- Oil System Cleaner
- Engine Nano Shield
- Oil Stop Leak
- Oil Stabilizer & Treatment
- Oil Anti Smoke
- Engine Head & Valves Care
- Engine Restoration (Component 2: Neutralizer)
- Engine Restoration (Component 1: Foam Cleaner)

Exhaust System

- Oxygen Sensor & Catalytic Converter Cleaner
- AC System Foam Cleaner

Fuel System

- Diesel System Cleaner
- Petrol System Cleaner
- Nano Ceramic

Lubrication And Protection

- Premium Ceramic Grease
- Ceramic Protection Wax
- Advanced Nano Lube Spray
- Adhesive Grease Spray

Radiator

- Radiator Stop Leak
- Radiator Flush
- Radiator Protection Conditioner
- Radiator Oil Cleaner

Technical Cleaning

- Electronics Cleaner Spray
- Dismantling Spray
- Rust Remover
- Universal Installation Cleaner

